



Owner \_\_\_\_\_ Pet \_\_\_\_\_ Cage # \_\_\_\_\_  
Breed \_\_\_\_\_ Color \_\_\_\_\_ D.O.B. \_\_\_\_\_ Sex: M / F Stray ? \_\_\_\_\_  
Comments \_\_\_\_\_

**Services Requested:** \_\_\_\_\_ **Date** \_\_\_\_\_

Spay/ Neuter \_\_\_\_\_ Dental cleaning \_\_\_\_\_ Tooth extractions \_\_\_\_\_ call first ? \_\_\_\_\_  
Other surgery \_\_\_\_\_ With Biopsy ? Yes/ No \_\_\_\_\_  
**Pre-anesthetic blood work:** mini \_\_\_\_\_ partial \_\_\_\_\_ full \_\_\_\_\_ waived \_\_\_\_\_  
Pregnancy termination: Y/N \_\_\_\_\_ Microchip \_\_\_\_\_  
HW test \_\_\_\_\_ 4DX \_\_\_\_\_ Need heartworm pills ? \_\_\_\_\_  
**Rabies** \_\_\_\_\_ **DHP-P: 1yr** \_\_\_\_\_ **3yr** \_\_\_\_\_ **Lepto** \_\_\_\_\_ **Lyme** \_\_\_\_\_ **Bordatella** \_\_\_\_\_  
**Flea/ worm control:** Advantage \_\_\_\_\_ Frontline \_\_\_\_\_ Droncit \_\_\_\_\_ Strongid \_\_\_\_\_  
E-collar \_\_\_\_\_ Skin staples \_\_\_\_\_ Pain Meds \_\_\_\_\_ Abics: liquid \_\_\_\_\_ tabs \_\_\_\_\_ Other \_\_\_\_\_

**Services Rendered:** \_\_\_\_\_ **Wt:** \_\_\_\_\_

Physical exam: \_\_\_\_\_ Comments: \_\_\_\_\_

Blood test: mini/ partial/ full Results \_\_\_\_\_  
Spay: In heat \_\_\_\_\_ Pregnant \_\_\_\_\_ Lactating \_\_\_\_\_ Castration: \_\_\_\_\_ Crypt \_\_\_\_\_  
Dental: hand scale \_\_\_\_\_ ultrasonic scale/ polish \_\_\_\_\_ Tooth extractions \_\_\_\_\_  
Other surgery \_\_\_\_\_ Biopsy \_\_\_\_\_  
Vacc: Rabies \_\_\_\_\_ DHP-P 1yr, 3yr/ Lepto \_\_\_\_\_ Lyme \_\_\_\_\_ Bord \_\_\_\_\_ HW test \_\_\_\_\_ HW/tick .test \_\_\_\_\_  
Skin: Fleas \_\_\_\_\_ Advantage / Frontline / Advantix applied \_\_\_\_\_ Droncit inj. \_\_\_\_\_ Nail trim \_\_\_\_\_  
Ears: Cleaned \_\_\_\_\_ waxy \_\_\_\_\_ mites \_\_\_\_\_ Ivermectin inj. \_\_\_\_\_ Other \_\_\_\_\_  
Other: Penicillin \_\_\_\_\_ IV/ SQ fluids \_\_\_\_\_ Pain injection \_\_\_\_\_ Fecal \_\_\_\_\_ U/A \_\_\_\_\_

**Specific discharge instructions:**

**Physical examinations-** recommended yearly unless under one year old and received one or less exams.  
If today was your puppy's only veterinary visit, please return in 1 month .

**Vaccination recommendations-**

**Rabies-**Return by \_\_\_\_\_ for a \_\_\_\_\_ year booster (required by state law).

**DHP-P(Distemper/Parvo)-** Recommended for protection from intestinal viruses.

Return **ASAP** if your dog has never received a distemper vaccination.

Puppies- a series of 2- 3 shots 1 month apart is recommended.

Return \_\_\_\_\_ for a booster or to complete puppy series.

**Lyme (Tick disease)-** Return \_\_\_\_\_ for a booster. **Lepto** (Kidney Disease) -Return \_\_\_\_\_

**Bordatella (kennel cough)-** Return \_\_\_\_\_ for a booster.

**Heartworm protection-** STRONGLY RECOMMENDED year round. Start tomorrow \_\_\_\_\_ Continue \_\_\_\_\_

Return \_\_\_\_\_ for a yearly Heartworm test Repeat test in 6 months \_\_\_ if previously not on preventative

**Surgery incision-** \_\_\_\_\_ Skin layer **glued**. Just keep clean and dry for 14 days, no need to return.

\_\_\_\_\_ Skin **sutures/ staples** present. Keep clean and dry. Return \_\_\_\_\_ days for removal.

\_\_\_\_\_ Gingival sutures- absorbable. Rinse mouth with lukewarm water after meals for 1wk.

**Medications- Give the following as directed:** \_\_\_\_\_

*E-Collar: Leave on for \_\_\_\_\_ days when unsupervised.*

**Other** \_\_\_\_\_

Pet Partners is a non-profit clinic. We may not be able to accommodate sick or injured animals. We strongly encourage you to establish a relationship with a full service veterinarian in case of illnesses or emergencies.

Owner \_\_\_\_\_ Pet \_\_\_\_\_ D.O.B. \_\_\_\_\_ Wt \_\_\_\_\_ (lb) \_\_\_\_\_ (kg) Cage # \_\_\_\_\_

Date \_\_\_\_\_

Physical Exam Checklist		
1) General Appearance <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	2) INTEGUMENTARY <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	3) MUSCOSKELETAL <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM
4) RESPIRATORY <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	5) DIGESTIVE <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	6) GENITOURINARY <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM
7) EARS <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	8) NEURAL SYSTEMS <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	9) LYMPH NODES <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM
10) EYES <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	11) CIRCULATORY <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM	12) MUCOUS MEMBRANES <input type="checkbox"/> NORMAL <input type="checkbox"/> ABNORM
T _____ P _____ R _____ Wt _____		

Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Anesthesia: (see surgery log also) Time \_\_\_\_\_

Preop- TBD combo (Telazol 50mg/ml, Butorphanol 2.5mg/ml, Dexdomitor 0.25mg/ml)  
 TBD combo \_\_\_\_\_ ml IM/IV at \_\_\_\_\_ Reversal: Anti-sedan \_\_\_\_\_ ml at \_\_\_\_\_  
 Acepromazine (10mg/ml) \_\_\_\_\_ ml SQ at \_\_\_\_\_  
 Atropine (0.5mg/ml) \_\_\_\_\_ SQ at \_\_\_\_\_  
 Glycopyrolate (0.2mg/ml) \_\_\_\_\_ ml IM at \_\_\_\_\_  
 Carprofen ((50mg/ml) \_\_\_\_\_ ml SQ at \_\_\_\_\_  
 Buprenex (0.3mg/ml) \_\_\_\_\_ ml IM at \_\_\_\_\_

Induction- Ketamine (100mg/ml) \_\_\_\_\_ ml IV at \_\_\_\_\_  
 Diazepam (5mg/ml) \_\_\_\_\_ ml IV at \_\_\_\_\_

Additional Meds: \_\_\_\_\_ Time: \_\_\_\_\_

E.T. size \_\_\_\_\_ Mask \_\_\_\_\_ IV \_\_\_\_\_ g L R cephalic / other \_\_\_\_\_

Fluids: IV \_\_\_\_\_ ml @ \_\_\_\_\_ SQ \_\_\_\_\_ ml @ \_\_\_\_\_

Estimated Blood loss- \_\_\_\_\_ ml Replaced with \_\_\_\_\_ ml of \_\_\_\_\_ IV solution

Started Surgery \_\_\_\_\_ Stop Surgery \_\_\_\_\_ Sternal \_\_\_\_\_

Maintenance: Isoflurane 2 % with O2

Time \_\_\_\_\_  
 Temp (°F) \_\_\_\_\_  
 HR \_\_\_\_\_  
 RR \_\_\_\_\_  
 O2 sat% \_\_\_\_\_  
 B/P \_\_\_\_\_  
 CO2 % \_\_\_\_\_

Surgery: Routine OHE, OHE/abort \_\_\_\_\_ Open/Closed Castration, Crypt \_\_\_\_\_  
 Dental Cleaning \_\_\_\_\_ Teeth extractions – See sheet \_\_\_\_\_ Biopsy sent: \_\_\_\_\_

Other \_\_\_\_\_

Using \_\_\_\_\_ to ligate vessels  
 \_\_\_\_\_ to close fascia  
 \_\_\_\_\_ to close subcu  
 \_\_\_\_\_ to close skin  
 \_\_\_\_\_ to close gingival flap

Bupivacaine line block: (cats 2mg/kg, dogs 4mg/kg) 0.25 % w/ or w/o epi, 0.5 % , splash  
 Recovery: uneventful unless noted

## Pet Partners

### INFORMATION FORM FOR DOG OWNERS

In order to save time at check-in please read the following information before dropping off your dog for surgery. If someone other than the owner is bringing the dog to the clinic, please initial your choices and sign the next page. If you have any questions please feel free to call (508) 672-4813 Monday- Thursday 9am-4pm. Please allow 15-20 minutes for check-in and pick-up.

**\*\*\*Check-in is 7:00-8:00 am. Pick-up is 4:00-5:00 pm. Please call ahead if you need another time.\*\*\***

### PRE-ANESTHETIC BLOOD WORK

Blood testing prior to any anesthetic procedure is recommended to uncover possible hidden problems. The tests we order are the same that a person would have done prior to an anesthetic procedure. **The partial and minimum panel tests can be done the same day the surgery is scheduled.** For a full panel or to save \$15 on partial or mini panel test, please schedule an appointment a few days prior to surgery to have the blood drawn. We will wait for the test results before starting surgery.

**Partial/ juvenile panel-** for healthy animals under 7 years old. Cost is \$60

**Full panel-** recommended for animals 7 years or older or suspected illnesses/dental disease. Cost is \$65

**Minimum pre-op screening-** provides some info but not as complete as above panels. Cost is \$45

**Waived-** unforeseen problems may occur with anesthesia and you are willing to assume the risks.

**Choices: partial/juvenile \_\_\_\_\_ mini \_\_\_\_\_ full/adult \_\_\_\_\_ waived \_\_\_\_\_**

**VACCINATIONS-** NOT recommended on the same day of surgery to avoid possible allergic reactions. If returning for vaccinations on a clinic day (Wednesdays or Fridays) is difficult for you, then we will vaccinate your dog at the end of the surgery day. A rabies vaccine will be given on the surgery day if your dog is not up to date or you are unable to provide proof of vaccination.

Canine Distemper vaccine- recommended for protection from intestinal viruses. A 1 year or 3 year vaccine is available for adult dogs. Puppies need a series of 2-3 vaccines 3-4 weeks apart. Cost: 1 year- \$17 3 year-\$34

Canine Lyme vaccine- recommended for dogs with possible tick exposure. Cost: \$23 each

A lyme test is required before the initial vaccination ( read below).

Canine Leptospirosis vaccine- recommended for dogs with possible exposure to urine of wildlife and rodents. The disease causes kidney and liver damage and is contagious to humans. Initial series requires 2 vaccinations 3-4 weeks apart. Cost: \$13 each

**Choices: Rabies (or certificate provided) \_\_\_\_\_ Distemper – 1 yr \_\_\_\_\_ 3 yr \_\_\_\_\_ Lyme \_\_\_\_\_ Lepto \_\_\_\_\_**

### CANINE HEARTWORM TESTING/CANINE LYME TESTING

**Heartworm testing:** All dogs must have a heartworm test (or proof of a recent test and preventative).

**Lyme testing:** The organism that causes Lyme disease is spread by ticks. Ticks are usually encountered when walking through wooded areas, tall grassy fields, or sand. The symptoms of Lyme disease can take 2-5 months to appear after a dog gets bitten by an infected tick. The disease can manifest with joint, heart, kidney or neurological problems. Typically a sudden onset of joint swelling, lameness, fever, sleepiness, and poor appetite are noted. If left untreated chronic arthritis can result.

The new Lyme test that is now available will show if your dog has been exposed to the Lyme organism as early as 3-6 weeks after a tick bite. We can test your dog the day of surgery (or sooner if you want to come in on a clinic day, Wednesdays or Fridays by appointment only). The cost is \$43 (which includes the heartworm test if needed).

If the test result is positive the recommendation is to have a quantitative test (called a QC6) run immediately and again in 6 months. Antibiotics may be prescribed pending quantitative results. The cost is \$80

For protection from Lyme disease the recommendation is to apply a tick protectant (such as Frontline) and to vaccinate (which involves a two-shot series 3 weeks apart the first year).The vaccine costs \$23 each.

**Choices: Heartworm test (cost \$33) \_\_\_\_\_ Proof of recent test and preventative \_\_\_\_\_**

**Choices: Lyme test (\$43, inc. Heartworm) \_\_\_\_\_ Lyme vaccine \_\_\_\_\_ If positive run QC6 (\$80)**

**PREGNANCY**

If your female pet is found to be pregnant upon examination or surgery, she still may be spayed (fixed).

This surgery will result in the termination of the pregnancy.

There may be additional charges for I.V. fluids, pain medication, and additional surgery time depending on the weight of your pet and the stage of pregnancy.

(Cats - usually \$25-\$50extra)

(Dogs- usually \$25-\$100 extra)

**Choices: hold spaying if pregnancy is suspected or found during surgery \_\_\_\_\_ spay\_\_\_\_\_**

**CLINIC FLEA POLICY-Any animal found with fleas or flea dirt will have a flea control medication applied and you will be charged accordingly.**

Your choices are:

**Advantage** (for fleas only)- Dogs \$13 and up **Frontline** (for fleas and ticks)- Cats \$14 Dogs \$15 and up

**Advantix** (fleas and ticks, dogs only)- Dogs \$14 and up

Tapeworm medication (Droncit) is also recommended, since fleas carry tapeworm eggs and your pet can be infected if they swallow any fleas while grooming themselves. The cost varies with the weight of the animal.

The cost for the average sized cat would be \$9 (injectable) or \$8 (pill) plus tax.

The cost for dogs would range from \$9 - \$40 (injectable) or \$8-40 (pill) plus tax.

**Choices: Advantage\_\_\_\_\_ Advantix\_\_\_\_\_ Frontline\_\_\_\_\_ Droncit\_\_\_\_\_ (injectable\_\_\_\_\_ pill\_\_\_\_\_)**

**EAR MITES/ EAR INFECTIONS-** Ear mites are common (commonly in young cats). The mites cause itchiness of the ears. Medication choices are either a gel (which is applied by the owner into the ears) or an injection on the surgery day, which will need to be repeated in 3 weeks.

Ear infections caused by yeast and bacteria are more common in dogs, especially dogs with long floppy ears.

Treatment usually requires an anti-yeast/ bacterial ointment plus cleansing with a vinegar mixture.

**Choices: Ear mites- Gel (cost \$18)\_\_\_\_\_ Injection (cost \$9.50 each injection)\_\_\_\_\_**  
**Ear infections- ointment ( cost \$16) \_\_\_\_\_ ( Vinegar recipe will be provided if needed)**

**PAIN MEDICATION-** All animals will be given a pain injection before surgery. The medication will wear off approximately 24 hours later. Some animals need pain medication for several days after surgery /dentals depending on the procedure performed and their individual pain tolerance. Additional pain medication may be purchased if you know that your pet is more "sensitive." (Pain medication will automatically be dispensed for some procedures such as tooth extractions).

**Cost- For 2 days worth Cats: \$8-12\_\_\_\_\_ Dogs: \$8+ depending on their weight\_\_\_\_\_**

**E-COLLAR (lampshade collar) - We highly recommend purchasing a collar to prevent licking of the surgical area. Visit fees to check and/or repair open skin incisions are \$10-\$250 (not including anesthesia).**

**Cost- \$7-\$8 for cats \_\_\_\_\_ \$7-12 for dogs\_\_\_\_\_ Declined\_\_\_\_\_**

**Signature of owner\_\_\_\_\_ Date\_\_\_\_\_**

**Print Name\_\_\_\_\_ Name of pet\_\_\_\_\_**

**Prices are Subject to Change without notice.**

**\*\*All pets must be picked up by 5:30 unless prior arrangements have been made\*\***

**Unscheduled late pick-ups will incur a fee for staff overtime coverage of \$50.**

**Pets not picked up by 6:00 pm for whatever reason will be kept overnight and charged \$75-\$150.**